


STAAR Items in A Box

 2018


8.3C – 3 (R) **thirteen X**

29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

A $(20x, 20y)$
B $(0.4x, 0.4y)$
C $(x + 20, y + 20)$
D $(x + 0.4, y + 0.4)$


1

 2016

8.4B – 2 (R) **fourteen Z**

3 An aquarium is being filled with water. The graph shows the height of the water over time as the aquarium is being filled.

Aquarium



Which statement best describes the rate of change for this situation?

A The height of the water increases 20 inches per second.
B The height of the water increases 1 inch per second.
C The height of the water increases 5 inches per second.
D The height of the water increases 2.5 inches per second.

2

 2018

8.3C – 3 (R) **thirteen X**

29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

A $(20x, 20y)$
B $(0.4x, 0.4y)$
C $(x + 20, y + 20)$
D $(x + 0.4, y + 0.4)$

3

STAAR Items in A Box

STAAR 2018

8.3C – 3 (R)

thirteen X

- 29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

- A $(20x, 20y)$
- B $(0.4x, 0.4y)$
- C $(x + 20, y + 20)$
- D $(x + 0.4, y + 0.4)$


1

STAAR 2016

8.4B – 2 (R)

fourteen Z

- 3 An aquarium is being filled with water. The graph shows the height of the water over time as the aquarium is being filled.



Which statement best describes the rate of change for this situation?

- A The height of the water increases 20 inches per second.
- B The height of the water increases 5 inch per second.
- C The height of the water increases 5 inches per second.
- D The height of the water increases 2.5 inches per second.

2

STAAR 2018

8.3C – 3 (R)

thirteen X

- 29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

- A $(20x, 20y)$
- B $(0.4x, 0.4y)$
- C $(x + 20, y + 20)$
- D $(x + 0.4, y + 0.4)$

3

STAAR Items in A Box

STAAR 2018

8.3C-3 (R)

thirteen X

- 29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

- A $(20x, 20y)$
- B $(0.4x, 0.4y)$
- C $(x + 20, y + 20)$
- D $(x + 0.4, y + 0.4)$


1

STAAR 2016

8.4B-2 (R)

fourteen Z

- 3 An aquarium is being filled with water. The graph shows the height of the water over time as the aquarium is being filled.



Which statement best describes the rate of change for this situation?

- A The height of the water increases 20 inches per second.
- B The height of the water increases 1 inch per second.
- C The height of the water increases 5 inches per second.
- D The height of the water increases 2.5 inches per second.

2

STAAR 2018

8.3C-3 (R)

thirteen X

- 29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

- A $(20x, 20y)$
- B $(0.4x, 0.4y)$
- C $(x + 20, y + 20)$
- D $(x + 0.4, y + 0.4)$

3

Student Name _____

Class Period _____

STAAR REPORTING CATEGORY 2: COMPUTATIONS AND ALGEBRA									
Standard	TEKS	Student Expectation							
Supporting	6.3(A)	recognize that dividing by a rational number and multiplying by its reciprocal result in equivalent values.							
Supporting	6.3(B)	determine, with and without computation, whether a quantity is increased or decreased when multiplied by a fraction, including values greater than or less than one							
Supporting	6.3(C)	represent integer operations with concrete models and connect the actions with the models to standardized algorithms							
Readiness	6.3(D)	add, subtract, multiply, and divide integers fluently							
Readiness	6.3(E)	multiply and divide positive rational numbers fluently							
Supporting	6.4(A)	compare two rules verbally, numerically, graphically, and symbolically in the form of $y = ax$ or $y = x + a$ in order to differentiate between additive and multiplicative relationships							
Readiness	6.4(B)	apply qualitative and quantitative reasoning to solve prediction and comparison of real-world problems involving ratios and rates							
Supporting	6.5(A)	represent mathematical and real-world problems involving ratios and rates using scale							

8.2D – 1 (R)
one Y

- 1 Four students are each trying to raise the same amount of money for a class trip. The table below shows how much of each student's goal has been met.

Fund-Raiser Progress

Student	Part of Goal Met
Chelsea	0.7
Devon	$\frac{2}{3}$
Huang	$\frac{5}{8}$
Marcela	65%

Which list shows the numbers in the table in order from least to greatest?

- A 0.7, 65%, $\frac{5}{8}$, $\frac{2}{3}$
- B 0.7, $\frac{5}{8}$, 65%, $\frac{2}{3}$
- C $\frac{5}{8}$, 65%, $\frac{2}{3}$, 0.7
- D $\frac{5}{8}$, $\frac{2}{3}$, 65%, 0.7

8.2D – 1 (R)**two Z**

30 Three groups of students used different methods to estimate the diagonal length of a patio in feet. Their results were:

- $4\sqrt{13}$ ft
- $14\frac{2}{5}$ ft
- 14.33 ft

Which list shows these diagonal lengths in order from greatest to least?

- F** 14.33, $14\frac{2}{5}$, $4\sqrt{13}$
- G** 14.33, $4\sqrt{13}$, $14\frac{2}{5}$
- H** $14\frac{2}{5}$, 14.33, $4\sqrt{13}$
- J** $4\sqrt{13}$, $14\frac{2}{5}$, 14.33

8.2D – 1 (R)**three Y****37** Which list shows the numbers below in order from least to greatest?

$$5.78, -5.9, 58\%, -\frac{23}{4}$$

A $-5.9, -\frac{23}{4}, 5.78, 58\%$

B $-\frac{23}{4}, -5.9, 58\%, 5.78$

C $-5.9, -\frac{23}{4}, 58\%, 5.78$

D $58\%, -\frac{23}{4}, 5.78, -5.9$

8.2D – 1 (R)

four Y

- 3** Two numbers are shown on the number line.



Which value is NOT located between these two numbers on the number line?

A π

B $\sqrt{9}$

C $\frac{\pi}{9}$

D $\frac{\pi^2}{9}$



2017

8.2D – 1 (R)

five Z

29 An inequality is shown.

$$\frac{1}{8} < x < 18\%$$

Which value of x makes the inequality true?

A $\frac{1}{5}$

B 1.6

C 0.09

D $\sqrt{0.02}$



2018

8.2D – 1 (R)

six X

3 Four plumbers estimated the length of the radius of a cylindrical pipe. The estimates made by the plumbers are listed.

- Plumber W estimated that the radius had a length of $\frac{3}{25}$ inches.
- Plumber X estimated that the radius had a length of $\frac{\sqrt{3}}{11}$ inches.
- Plumber Y estimated that the radius had a length of $\frac{9}{100}$ inches.
- Plumber Z estimated that the radius had a length of $\frac{\pi}{24}$ inches.

Which list shows these lengths in order from greatest to least?

A $\frac{9}{100}$, $\frac{\pi}{24}$, $\frac{3}{25}$, $\frac{\sqrt{3}}{11}$

B $\frac{\sqrt{3}}{11}$, $\frac{\pi}{24}$, $\frac{3}{25}$, $\frac{9}{100}$

C $\frac{9}{100}$, $\frac{3}{25}$, $\frac{\pi}{24}$, $\frac{\sqrt{3}}{11}$

D $\frac{\sqrt{3}}{11}$, $\frac{3}{25}$, $\frac{\pi}{24}$, $\frac{9}{100}$



2018

8.2D – 1 (R)

seven Y

22 Which list shows these numbers in order from least to greatest?

$$\frac{37}{6}, -5.\overline{17}, \sqrt{33}, -\frac{26}{5}$$

F $-\frac{26}{5}, -5.\overline{17}, \frac{37}{6}, \sqrt{33}$

G $-5.\overline{17}, -\frac{26}{5}, \frac{37}{6}, \sqrt{33}$


H $-\frac{26}{5}, -5.\overline{17}, \sqrt{33}, \frac{37}{6}$

J $-5.\overline{17}, -\frac{26}{5}, \sqrt{33}, \frac{37}{6}$

8.3C – 3 (R)

eight X

- 26 Circle I was dilated with the origin as the center of dilation to create Circle II.




Which rule best represents the dilation applied to Circle I to create Circle II?

- F** $(x, y) \rightarrow \left(\frac{3}{8}x, \frac{3}{8}y\right)$
G $(x, y) \rightarrow \left(\frac{8}{3}x, \frac{8}{3}y\right)$
H $(x, y) \rightarrow (x + 5, y + 5)$
J $(x, y) \rightarrow (x - 5, y - 5)$

8.3C – 3 (R)

nine W

- 51 Figure S, the small arrow, was dilated with the origin as the center of dilation to create Figure T, the large arrow.



Which rule best represents the dilation that was applied to Figure S to create Figure T?

- A $(x, y) \rightarrow (2x, 2y)$
- B $(x, y) \rightarrow (4x, 4y)$
- C $(x, y) \rightarrow (\frac{1}{2}x, \frac{1}{2}y)$
- D $(x, y) \rightarrow (\frac{1}{4}x, \frac{1}{4}y)$

8.3C – 3 (R)**ten Z**

- 5** Triangle MNP is graphed on a coordinate grid with vertices at $M(-3, -6)$, $N(0, 3)$ and $P(6, -3)$. Triangle MNP is dilated by a scale factor of u with the origin as the center of dilation to create triangle $M'N'P'$.


Which ordered pair represents the coordinates of the vertex P' ?

- A** $(6 + u, -3 + u)$
- B** $(\frac{6}{u}, -\frac{3}{u})$
- C** $(6 + \frac{1}{u}, -3 + \frac{1}{u})$
- D** $(6u, -3u)$

8.3C – 3 (R)

eleven Y

- 36** Quadrilateral $FGHJ$ was dilated with the origin as the center of dilation to create quadrilateral $F'G'H'J'$.



Which rule best represents the dilation that was applied to quadrilateral $FGHJ$ to create quadrilateral $F'G'H'J'$?

F $(x, y) \rightarrow \left(\frac{5}{7}x, \frac{5}{7}y\right)$

G $(x, y) \rightarrow (x + 1, y + 2)$

H $(x, y) \rightarrow (1.4x, 1.4y)$

J $(x, y) \rightarrow (x - 2, y + 1)$




2018

8.3C – 3 (R)

twelve Z

- 17 Triangle JKL is dilated with the origin as the center of dilation to create triangle $J'K'L'$.



Which rule best represents the dilation that has been applied to triangle JKL to create triangle $J'K'L'$?

- A $(x, y) \rightarrow (x + 6, y - 3)$
- B $(x, y) \rightarrow (x + 4.5, y + 3)$
- C $(x, y) \rightarrow (\frac{1}{2}x, \frac{1}{2}y)$
- D $(x, y) \rightarrow (\frac{7}{4}x, \frac{7}{4}y)$



2018

8.3C – 3 (R)

thirteen X

- 29 A square with a perimeter of 20 units is graphed on a coordinate grid. The square is dilated by a scale factor of 0.4 with the origin as the center of dilation.

If (x, y) represents the location of any point on the original square, which ordered pair represents the coordinates of the corresponding point on the resulting square?

- A $(20x, 20y)$
- B $(0.4x, 0.4y)$
- C $(x + 20, y + 20)$
- D $(x + 0.4, y + 0.4)$




2016

8.4B – 2 (R)

fourteen Z

- 5 An aquarium is being filled with water. The graph shows the height of the water over time as the aquarium is being filled.




Which statement best describes the rate of change for this situation?

- A The height of the water increases 20 inches per second.
- B The height of the water increases 1 inch per second.
- C The height of the water increases 5 inches per second.
- D The height of the water increases 2.5 inches per second.

8.4B – 2 (R)

fourteen Z

- 5 An aquarium is being filled with water. The graph shows the height of the water over time as the aquarium is being filled.







Which statement best describes the rate of change for this situation?

- A The height of the water increases 20 inches per second.
- B The height of the water increases 1 inch per second.
- C The height of the water increases 5 inches per second.
- D The height of the water increases 2.5 inches per second.

8.4B – 2 (R)

fifteen X





- 34 A tree in Dante's neighborhood grew 18 inches in the first 2 years after it was planted. If the tree continues to grow at this same rate, which graph best represents the growth rate of the tree in inches per year?



8.4B – 2 (R)

sixteen Y





- 42** On a field trip, there are 3 adults for every 45 students. Which graph models a relationship with the same unit rate?



8.4B – 2 (R)

eighteen W

- 28** Leonor pays a total of \$16.50 for every 6 shirts she has dry-cleaned. Which graph models a relationship with the same unit rate?









8.4B – 2 (R)

nineteen X

- 20 Joseph ran a 6-mile race in 48 minutes. Which graph has a slope that best represents Joseph's average rate of speed during the race?









2018

8.4B – 2 (R)

twenty Y


- 42 An oil-well contractor drills a shaft 7 meters deeper into the ground every 2 hours. Which graph has a slope that best represents this rate?



8.4C – 2 (R)

twenty one Y

12 What are the slope and the y -intercept of the graph of the linear function shown on the grid?




- F** Slope = 4, y -intercept = -6
- G** Slope = -4, y -intercept = -1.5
- H** Slope = $-\frac{1}{4}$, y -intercept = -1.5
- J** Slope = $\frac{1}{4}$, y -intercept = -6

8.4C – 2 (R)

twenty two -6

- 39 The graph of a linear function is shown on the coordinate grid.



What is the y-intercept of the graph of the linear function?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9

8.4C – 2 (R)
twenty three W

- 47** Carolyn will buy the same number of stamps every month to add to a stamp collection her grandfather gave her. The table shows the number of stamps Carolyn will have at the end of x months.

Carolyn's Stamp Collection

Number of Months, x	1	3	6	10
Number of Stamps, y	250	350	500	700

How many stamps was Carolyn given, and how many stamps will she buy every month?

- A** Carolyn was given 200 stamps, and she will buy 50 stamps every month.
- B** Carolyn was given 180 stamps, and she will buy 70 stamps every month.
- C** Carolyn was given 180 stamps, and she will buy 50 stamps every month.
- D** Carolyn was given 200 stamps, and she will buy 70 stamps every month.

8.4C – 2 (R)
twenty four X

- 6 The table shows the number of gallons of gasoline in a car's gas tank after the car has been driven x miles.

Gasoline Usage

Miles Driven, x	Gallons of Gasoline in Tank, y
0	15
10	14.6
20	14.2
35	13.6
60	12.6
75	12


When these data are graphed on a coordinate grid, the points all lie on the same line. What are the slope and y -intercept of this line?

- F** Slope = $\frac{1}{25}$, y -intercept = 375
- G** Slope = $-\frac{1}{25}$, y -intercept = 15
- H** Slope = 25, y -intercept = 375
- J** Slope = -25, y -intercept = 15

8.4C – 2 (R)

twenty five W

- 39 Emily sells greeting cards. The graph models the linear relationship between the number of boxes of cards she sells and her profit.



Which of these best describes the profit Emily makes from selling these cards?

- A \$7.50 per box
- B \$10.00 per box
- C \$4.00 per 30 boxes
- D \$3.00 per 4 boxes



2018

8.4C – 2 (R)

twenty six W

- 18 A gym charges a membership fee plus an additional fee per yoga class. The table shows the linear relationship between the number of yoga classes taken and the total cost including the membership fee.

Yoga Classes

Number of Yoga Classes	Total Cost
6	\$67.50
8	\$75.00
10	\$82.50
14	\$97.50
20	\$120.00

Which statement is true?

- F The additional fee per yoga class is \$3.75.
- G The additional fee per yoga class is \$8.25.
- H The membership fee is \$35.00.
- J The membership fee is \$42.50.




2018

8.4C – 2 (R)

twenty seven -5

- 38 A company sells bottles of vitamin capsules. The graph and table show the linear relationship between the cost per capsule in cents and the number of bottles ordered.



Vitamins

Number of Bottles, x	Cost, y (cents/capsule)
1	65
2	60
4	50
6	40
8	30

Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9


What is the slope of the line that models this situation?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

8.5D – 4 (R)

twenty eight Z

- 23** The scatterplot shows the average number of hours each of 13 people spends at work every week and the average number of hours each of them spends on recreational activities every week.




Based on the scatterplot, what is the best prediction of the average number of hours a person spends at work every week if that person spends an average of 10 hours on recreational activities every week?

- A** 33 h
- B** 85 h
- C** 50 h
- D** 65 h

8.5D – 4 (R)

twenty nine W

- 27 The manager of a restaurant recorded how many people were in different groups of customers and how much those groups spent on food and beverages. The scatterplot below shows the data she recorded.




Based on this scatterplot, about how much money would a group of 10 people be expected to spend on food and beverages at this restaurant?

- A \$135
- B \$115
- C \$105
- D \$150

8.5D – 4 (R)

thirty Y

- 46** The scatterplot shows the number of hours that 12 people spent learning to type on a keyboard and each person's average typing speed.




Based on the scatterplot, what is the best prediction of a person's average typing speed in words per minute (wpm) if the person has spent 70 hours learning to type?

- F** 100 wpm
- G** 55 wpm
- H** 85 wpm
- J** 70 wpm

8.5D – 4 (R)

thirty one W

- 10** The scatterplot shows the number of people in each of 8 different households and the average amount of money each household spent on groceries.




Based on the scatterplot, what is the best prediction of the average amount of money spent on groceries for a household that has 7 people?

- F** \$240
- G** \$190
- H** \$210
- J** \$300

8.5D – 4 (R)

thirty two X

- 32 Ben collected data from a group of 12 people. He measured each person's resting heart rate and recorded the average number of hours each person exercised per week. He created a scatterplot to show the data he collected.



Based on the scatterplot, what is the best prediction of the resting heart rate, in beats per minute, of a person who exercises an average of 8 hours each week?

- F** 30 beats per minute
- G** 50 beats per minute
- H** 55 beats per minute
- J** 60 beats per minute




2018

8.5D – 4 (R)

thirty three Y

- 2 Students in a science class investigated how the speed of sound changes with the air temperature outside. The data are shown in the scatterplot.



Based on the scatterplot, what is the best prediction of the speed of sound when the air temperature is 50°C?

- F 350 m/s
- G 355 m/s
- H 360 m/s
- J 365 m/s




2018

8.5D – 4 (R)

thirty four W

- 32 Phil collected data from several of his friends about the number of hours they spent sleeping and the number of hours they spent playing video games on Saturday. He recorded the data in the scatterplot.



Based on the scatterplot, what is the best prediction of the number of hours one of Phil's friends spends sleeping when the friend spends 1 hour playing video games?

- F 9 hours
- G 8 hours
- H 10 hours
- J 7 hours



8.5G – 2 (R)

thirty five W


25 Which set of ordered pairs represents y as a function of x ?

- A** $\{(2, -1), (4, -2), (6, -3), (8, -4)\}$
- B** $\{(0, 0), (1, 1), (1, 0), (2, 1)\}$
- C** $\{(3, 3), (3, 4), (4, 3), (4, 4)\}$
- D** $\{(1, -5), (1, 5), (2, -10), (2, -15)\}$

8.5G – 2 (R)

thirty six Y

28 Which statement describes the mapping?







- F** The mapping represents y as a function of x , because each y -value corresponds to exactly one x -value.
- G** The mapping does not represent y as a function of x , because two of the x -values correspond to the same y -value.
- H** The mapping represents y as a function of x , because each x -value corresponds to exactly one y -value.
- J** The mapping does not represent y as a function of x , because there are more x -values than different corresponding y -values.

8.5G – 2 (R)

thirty seven X





56 Which graph represents y as a function of x ?



8.5G – 2 (R)

thirty eight W

11 Which graph does NOT represent y as a function of x ?





8.5G – 2 (R)

thirty nine X

25 Which set of ordered pairs represents y as a function of x ?

A $\{(2, 5), (3, 1), (2, 1), (4, 7)\}$

B $\{(3, 2), (4, 3), (5, 2), (2, 6)\}$

C $\{(1, 3), (3, 5), (2, 5), (1, 6)\}$

D $\{(4, 7), (4, 6), (4, 4), (4, 1)\}$



2018

8.5G – 2 (R)

forty Z

- 6 A relation contains the points $(1, 2)$, $(2, -1)$, $(3, 0)$, $(4, 1)$, and $(5, -1)$. Which statement accurately describes this relation?
- F The relation does not represent y as a function of x , because each value of x is associated with a single value of y .
 - G The relation represents y as a function of x , because one value of y is associated with two values of x .
 - H The relation does not represent y as a function of x , because each value of y is associated with two values of x .
 - J The relation represents y as a function of x , because each value of x is associated with a single value of y .




2018

8.5G – 2 (R)


foty one W

35 Which representation shows y as a function of x ?



C

x	y
-1	0
-1	5
-1	10
-1	15




D

x	y
-4	-8
0	3
1	2
-4	10

8.5I – 2 (R)

forty two Z

14 Which function is best represented by this graph?



F $y = \frac{1}{2}x + 6$

G $y = -2x + 3$

H $y = 2x + 6$

J $y = -\frac{1}{2}x + 3$

8.5I – 2 (R)**forty three W**

- 36** Mr. Leonard is renting a car for one day. The table below shows the total amount he will be charged for the car based on the number of miles he drives.

Car Rental

Number of Miles, m	Total Amount Charged, c
5	\$30.50
10	\$31.00
15	\$31.50
20	\$32.00

Which equation best represents c , the number of dollars Mr. Leonard should be charged for driving m miles?

F $c = 0.10m + 30$

G $c = 30m + 0.10$

H $c = 0.50m + 30$

J $c = 30m + 0.50$

8.5I – 2 (R)**forty four Z**

54 Frankie bought a new computer. He made an initial payment of \$50 to the store, and he will pay \$30 each month until the computer is paid off. Which equation represents the relationship between m , the number of monthly payments Frankie has made, and t , the total amount that Frankie has paid the store?

F $t = 50m + 30$

G $t = 30m - 50$


H $t = 50m - 30$

J $t = 30m + 50$

8.5I – 2 (R)

forty five W

- 19** The graph shows the relationship between the cost of some pecans and the weight of the pecans in pounds.



Which function best represents the relationship shown in the graph?

- A** $y = 5x$
- B** $y = \frac{1}{5}x$
- C** $y = 2x$
- D** $y = \frac{1}{2}x$

8.5I – 2 (R)

forty six W

- 37** Melissa is saving \$25 that she earned for washing her mom's car. She earns \$10 every week for doing chores, which she also saves.

Which function can be used to find t , the amount of money Melissa will have saved at the end of n weeks of doing chores?

- A** $t = 10n + 25$
- B** $t = 25n + 10$
- C** $t = 35n$
- D** $t = 15n$




2018

8.5I – 2 (R)

forty seven X

11 Which function is best represented by this graph?



A $y = \frac{1}{4}x + 8$

B $y = \frac{1}{4}x - 2$

C $y = 4x - 2$

D $y = 4x + 8$



2018

8.5I – 2 (R)

forty eight Z

- 28 The ticket sales for a concert started at 4:00 P.M. The table shows the linear relationship between the number of tickets remaining and the number of hours since 4:00 P.M.

Ticket Sales

Hours Since 4 P.M.	Number of Tickets Remaining
1	12,000
2	9,000
3	6,000
4	3,000
5	0

Which function can be used to find y , the number of tickets remaining x hours since 4:00 P.M.?

- F $y = 3,000x + 12,000$
G $y = 3,000x + 15,000$
H $y = -3,000x + 12,000$
J $y = -3,000x + 15,000$

8.7A – 3 (R)**forty nine Z**

- 17** A ball shaped like a sphere has a radius of 2.7 centimeters. Which measurement is closest to the volume of the ball in cubic centimeters?
- A** 46.38 cm³
 - B** 33.93 cm³
 - C** 122.15 cm³
 - D** 82.45 cm³



8.7A – 3 (R)


fifty X

- 38** A storage container for oil is in the shape of a cylinder with a diameter of 10 ft and a height of 17 ft. Which measurement is closest to the volume of the storage container in cubic feet?
- F** 534 ft³
 - G** 1,335 ft³
 - H** 691 ft³
 - J** 1,696 ft³

8.7A – 3 (R)

fifty one W

55 A party hat is shaped like a cone. The dimensions of the party hat are shown in the diagram.




Which measurement is closest to the volume of the party hat in cubic inches?

- A 84.82 in.³
- B 339.29 in.³
- C 254.47 in.³
- D 1,017.88 in.³

8.7A – 3 (R)

fifty two Z

24 A cone and its dimensions are shown in the diagram.



Which measurement is closest to the volume of the cone in cubic inches?

- F 186.38 in.³
- G 248.50 in.³
- H 745.51 in.³
- J 62.13 in.³

8.7A – 3 (R)**fifty three X**

- 41** A container that holds sugar is shaped like a cylinder. The radius of the container is 3 inches, and the height of the container is 10.5 inches.

Which measurement is closest to the volume of the container in cubic inches?

- A** 254.47 in.³
- B** 296.88 in.³
- C** 395.84 in.³
- D** 197.92 in.³



2018

8.7A – 3 (R)

fifty four W

- 1** A fishbowl shaped like a sphere is filled with water. The fishbowl has a diameter of 16 inches. Which measurement is closest to the volume of water in the fishbowl in cubic inches?
- A** 2,144.66 in.³
 - B** 17,157.28 in.³
 - C** 5,461.67 in.³
 - D** 6,433.98 in.³




2018

8.7A – 3 (R)

fifty five Y

- 25 Snacks at a county fair are sold in containers shaped like a cone or a cylinder. The dimensions of each container are shown in the drawing.




Which statement about the volumes of the cone and the cylinder is true?

- A The volume of the cylinder is about 377 cubic inches greater than the volume of the cone.
- B The volume of the cylinder is about 377 cubic inches less than the volume of the cone.
- C The volume of the cylinder is about 25 cubic inches greater than the volume of the cone.
- D The volume of the cylinder is about 25 cubic inches less than the volume of the cone.

8.7B – 3 (R)

fifty six X

10 A triangular prism and its dimensions are shown in the diagram.



What is the lateral surface area of this triangular prism in square centimeters?

F 192 cm^2


G 128 cm^2

H 152 cm^2

J 144 cm^2

8.7B – 3 (R)

45 A rectangular prism and its dimensions are shown in the diagram.



What is the total surface area of this rectangular prism in square inches?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

fifty seven 102.16


Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
-	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9

8.7B – 3 (R)

fifty eight X

14 A cylinder and its dimensions are shown in the diagram.




Which measurement is closest to the lateral surface area of the cylinder in square centimeters?

- F** 575.3 cm²
- G** 287.6 cm²
- H** 398.5 cm²
- J** 604.1 cm²

8.7B – 3 (R)

38 A rectangular prism and its dimensions are shown in the diagram.



What is the total surface area of this prism in square inches?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

fifty nine 237.5

Grades 6–8 Mathematics


					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9



2018

8.7B – 3 (R)

- 9 A container is shaped like a triangular prism. Each base of the container is an equilateral triangle with the dimensions shown.



The container has a height of 15 centimeters. What is the lateral surface area of the container in square centimeters?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

sixty 270

Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9




2018

8.7B – 3 (R)

sixty one Y

- 39 An architect uses a cylindrical container to protect her blueprints. The dimensions of the cylinder are shown in the diagram.




Which measurement is closest to the total surface area of the container in square inches?

- A 424.12 in.²
- B 791.68 in.²
- C 339.29 in.²
- D 282.74 in.²

8.7C – 3 (R)

- 15 The set designer for a play painted some background scenery on a large piece of plywood. He used a 13-foot-long pole to hold the piece of plywood upright, as shown in the diagram below.



What is h , the total height in feet of the piece of plywood?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

sixty two 14


Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9

8.7C – 3 (R)

sixty three Y

32 The diagram below shows the side view of a ramp used to help load and unload a moving van.




Which measurement is closest to the length of the ramp in feet?

- F 8.5 ft
- G 10.5 ft
- H 9.5 ft
- J 13.5 ft

8.7C – 3 (R)

- 9 The manager of a car dealership wants to attach a rope with flags to the top of a pole and to a stake in the ground, as shown in the diagram.



Based on the diagram, what is the distance in feet from the top of the pole to the bottom of the stake?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

sixty four 32.5


Grades 6–8 Mathematics

				.		
+	0	0	0	0	0	0
−	1	1	1	1	1	1
	2	2	2	2	2	2
	3	3	3	3	3	3
	4	4	4	4	4	4
	5	5	5	5	5	5
	6	6	6	6	6	6
	7	7	7	7	7	7
	8	8	8	8	8	8
	9	9	9	9	9	9

8.7C – 3 (R)

sixty five W

33 A right triangle and two of its side lengths are shown in the diagram.



Which measurement is closest to the value of x in centimeters?

- A** 37.1 cm
- B** 40.8 cm
- C** 27 cm
- D** 51 cm




2018

8.7C – 3 (R)

sixty six X

- 5 Natasha walked from the library to the grocery store and then to her house. The diagram shows the top view of the locations of these three places and their distances from each other.



Which measurement is closest to the shortest distance in miles from Natasha's house to the library?

- A 2.6 mi
- B 1.9 mi
- C 1.4 mi
- D 2.3 mi



2018

8.7C – 3 (R)

sixty seven Z

- 33** The dimensions of a rectangular piece of paper are 8.5 inches and 11 inches. Veronica folded the piece of paper along its diagonal. Which measurement is closest to the length of the diagonal in inches?
- A** 6.24 in.
 - B** 19.5 in.
 - C** 6.98 in.
 - D** 13.9 in.



8.8C – 2 (R)


sixty eight W

- 7 Carnival M charges an entrance fee of \$5.00 and \$0.65 per ticket for the rides. Carnival P charges an entrance fee of \$10.00 and \$0.45 per ticket for the rides. How many tickets must be purchased in order for the total cost at Carnival M and Carnival P to be the same?
- A 25
 - B 10
 - C 50
 - D 75

8.8C – 2 (R)

sixty nine 2.25

31 The model represents an equation.



What value of x makes the equation true?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
-	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9

8.8C – 2 (R)**seventy Z**

44 The measures of two angles are $(5x + 24)^\circ$ and $(9x - 17)^\circ$. What is the value of x if these angles are congruent?

F 1.75

G 13.2

H 0.5

J 10.25

8.8C – 2 (R)**seventy one Z****12** What value of x makes this equation true?

$$\frac{x}{3} - 3 = \frac{x}{9} + 3$$

F 3**G** -9**H** -1**J** 27

8.8C – 2 (R)

seventy two 6

- 23** A rectangle's perimeter and its area have the same numerical value. The width of the rectangle is 3 units. What is the length of the rectangle in units?

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.

Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9



2018

8.8C – 2 (R)

seventy three Y

- 8 Julie started with 20 pieces of gum and gave away x pieces. Conrad started with 35 pieces of gum and gave away twice as many pieces as Julie did.

How many pieces of gum did Julie give away if they had the same number of pieces of gum left?

F 18

G 5

H 15

J 8



2018

8.8C – 2 (R)

seventy four -7

23 What is the solution to this equation?

$$2x + 3 = x - 4$$

Record your answer and fill in the bubbles on your answer document. Be sure to use the correct place value.


Grades 6–8 Mathematics

					.		
+	0	0	0	0		0	0
−	1	1	1	1		1	1
	2	2	2	2		2	2
	3	3	3	3		3	3
	4	4	4	4		4	4
	5	5	5	5		5	5
	6	6	6	6		6	6
	7	7	7	7		7	7
	8	8	8	8		8	8
	9	9	9	9		9	9

8.10C – 3 (R)

seventy five Z

8 The coordinate grid shows parallelogram $PQRS$.




Parallelogram $PQRS$ is rotated 90° clockwise about the origin to create parallelogram $P'Q'R'S'$. Which rule describes this transformation?

- F $(x, y) \rightarrow (x, -y)$
- G $(x, y) \rightarrow (-x, y)$
- H $(x, y) \rightarrow (y, x)$
- J $(x, y) \rightarrow (y, -x)$

8.10C – 3 (R)

seventy six X

- 19 The coordinates of the vertices of a quadrilateral are $P(1, 2)$, $R(1, 4)$, $S(3, 4)$, and $T(4, 2)$.



Quadrilateral $PRST$ is reflected across the y -axis to create quadrilateral $P'R'S'T'$. Which rule describes this transformation?

- A $(x, y) \rightarrow (x, -y)$
- B $(x, y) \rightarrow (-x, y)$
- C $(x, y) \rightarrow (y, -x)$
- D $(x, y) \rightarrow (-y, x)$



8.10C – 3 (R)

seventy seven X

40 Triangle ABC was translated 2 units to the right and 3 units down. Which rule describes the translation that was applied to triangle ABC to create triangle $A'B'C'$?

F $(x, y) \rightarrow (x - 3, y + 2)$

G $(x, y) \rightarrow (x + 2, y - 3)$


H $(x, y) \rightarrow (2x, -3y)$

J $(x, y) \rightarrow (-3x, 2y)$

8.10C – 3 (R)

seventy eight W

- 2 The coordinate grid shows a pentagon. The pentagon is translated 1 unit to the left and 10 units down to create a new pentagon.



Which rule describes this transformation?

- F** $(x, y) \rightarrow (x - 1, y - 10)$
- G** $(x, y) \rightarrow (x + 1, y - 10)$
- H** $(x, y) \rightarrow (x - 1, y + 10)$
- J** $(x, y) \rightarrow (x + 1, y + 10)$

8.10C – 3 (R)

seventy nine Y

27 A circle is graphed on a coordinate grid and then reflected across the y -axis. If the center of the original circle was located at (x, y) , which ordered pair represents the center of the new circle after the transformation?

- A** (x, y)
- B** $(x, -y)$
- C** $(-x, y)$
- D** $(-x, -y)$




2018

8.10C – 3 (R)

eighty W

- 21 Pentagon $VWXYZ$ is shown on the coordinate grid. A student reflected pentagon $VWXYZ$ across the x -axis to create pentagon $V'W'X'Y'Z'$.



Which rule describes this transformation?

- A $(x, y) \rightarrow (x, -y)$
- B $(x, y) \rightarrow (x, y + 8)$
- C $(x, y) \rightarrow (-y, x)$
- D $(x, y) \rightarrow (-x, y)$




2018

8.10C – 3 (R)


eighty one Z

31 Triangle RST is translated 6 units to the left and 4 units up to create triangle $R'S'T'$.



Which rule best describes this transformation?

- A $(x, y) \rightarrow (6x, -4y)$
- B $(x, y) \rightarrow (-6x, 4y)$
- C $(x, y) \rightarrow (x + 6, y - 4)$
- D $(x, y) \rightarrow (x - 6, y + 4)$



8.12D – 4 (R)

eighty two W

- 4 Tamara invested \$15,000 in an account that pays 4% annual simple interest. Tamara will not make any additional deposits or withdrawals. How much interest will Tamara earn on her investment at the end of 3 years?
- F \$1,800
- G \$600
- H \$450
- J \$1,873



8.12D – 4 (R)

eighty three Z

41 Nicolas has \$650 to deposit into two different savings accounts.

- Nicolas will deposit \$400 into Account I, which earns 3.5% annual simple interest.
- He will deposit \$250 into Account II, which earns $3\frac{1}{4}\%$ interest compounded annually.

Nicolas will not make any additional deposits or withdrawals. Which amount is closest to the total balance of these two accounts at the end of 2 years?

- A** \$672.13
- B** \$695.00
- C** \$694.25
- D** \$694.51



8.12D – 4 (R)

eighty four W

16 Mr. Wilkins deposited \$2,500 in a new account at his bank.

- The bank pays 6.5% interest compounded annually on this account.
- Mr. Wilkins makes no additional deposits or withdrawals.

Which amount is closest to the balance of the account at the end of 2 years?

F \$2,835.56

G \$2,513.00

H \$2,662.50

J \$2,825.00



8.12D – 4 (R)

eighty five X

35 Mr. Flores opened an account with a deposit of \$5,000.

- The account earned annual simple interest.
- He did not make any additional deposits or withdrawals.
- At the end of 4 years, the balance of the account was \$6,500.

What is the annual interest rate on this account?

- A** 5.8%
- B** 7.5%
- C** 3.3%
- D** 1.9%




2018

8.12D – 4 (R)

eighty six Z

- 12** An employee put \$5,000.00 in a retirement account that offers 9% interest compounded annually. The employee makes no additional deposits or withdrawals. Which amount is closest to the interest the employee will have earned at the end of 5 years?
- F** \$229.09
 - G** \$450.00
 - H** \$2,250.00
 - J** \$2,693.12



2018

8.12D – 4 (R)

eighty seven X

- 24** An investor puts \$2,500 into a life insurance policy that pays 8.5% simple annual interest. If no additional investment is made into the policy, how much accumulated interest should the investor expect at the end of 10 years?
- F** \$21,250.00
- G** \$2,125.00
- H** \$212.50
- J** \$21.25

